

PFAFF[®] Industrial

汽车内饰沙发面套 专用设备特辑

Automotive Interior
Sofa Cover
Special Sewing Machine
Special Edition

POWERline

2545/46
2595/96



型号2545

PFAFF® Industrial



Special single-needle high-speed sewing machine, sewing area 345*120mm, super-large vertical hook with a bobbin diameter of 32mm, original automatic fast bobbin winder, winding volume increase of more than 70%, more convenient control, built-in LED sewing light, DAC Classic control system, programmable multi-function integrated control button, more flexible and convenient control, 750W power motor, synchronous belt drive, super torque, stable and reliable positioning, stronger penetrating power, automatic foot lifting height 20mm, alternating sewing foot stroke 9mm, stitch length 9mm, suitable for sewing high-quality seam and combination sewing, widely used in sewing various high-end automotive interior, leather sofa cover and other sewing process.

特殊单针高速缝纫机，缝制范围345*120mm,采用梭心直径32mm的超大垂直旋梭，绕线量提高70%以上，独创的快速自动绕线器，操控更加便捷，内置LED缝纫工作照明灯，控制系统采用 DAC Classic，可编程多功能集成控制按钮，操控更灵活方便，750W功率电机，同步带驱动，扭矩超强，定位稳定可靠，穿透力更强，自动抬压脚高度20mm、交替压脚送料行程9mm、线迹长度9mm，适合缝制高品质缝线和组合缝线，广泛用于缝制各种高档汽车内饰、真皮沙发面套等拼接工艺。



POWERline 2545

32MM 超大旋梭 -G	26MM 大旋梭	缝制配件 -6/01	自动剪线 -900/81	自动抬压脚 -910/04	自动倒缝 -911/35	电子夹线 -909/12	HP -918/29	空气过滤阀 -925/03	过载安全 离合保护 -M
Extra large vertical hook 70%+	Large vertical hook	Standard part set	Auto-thread trimmer	Auto-presser foot lift	Auto- backtacking device	Thread nipper	Quick change stepping control	Air filter /Lubricator	Safety clutch
★	◎	★	★	★	★	◎	◎	★	★
线迹长度 -N	DAC电控 P40CD	缝纫照明 LED灯	两个线张力	膝碰切换 开关	自动抬 压脚高度	交替压脚 送料行程	最高缝速 针/分	机针型号	
Stitch length Max.	Control box w/BDF-S4	Built-in LED sewing light	2 nd thread tension	Knee switch for Quick change	Foot lift height Max.	Alternating feet stroke height	Sewing speed Max.	Needle system	
9mm	★	★	★	◎	20mm	9mm	3000	134-35 120#	

标配 ★ 选配 ◎
Standard Option

型号2545-G-17/01

PFAFF® Industrial



Special single-needle high-speed sewing machine for binding process, sewing area 345*120mm, super-large vertical hook with a bobbin diameter of 32mm, original automatic fast bobbin winder, winding volume increase of more than 70%, more convenient control, built-in LED sewing light, DAC Classic control system, programmable multi-function integrated control button, more flexible and convenient control, 750W power motor, synchronous belt drive, super torque, stable and reliable positioning, stronger penetrating power, automatic foot lifting height 20mm, alternating sewing foot stroke 9mm, stitch length 9mm, suitable for sewing high-quality seam and combination sewing, widely used in binding various high-end automotive interiors, carpets, leather sofa cover and other sewing process.

特殊单针高速包缝机，缝制范围345*120mm,采用梭心直径32mm的超大垂直旋梭，绕线量提高70%以上，独创的快速自动绕线器，操控更加便捷，内置LED缝纫工作照明灯，控制系统采用DAC Classic，可编程多功能集成控制按钮，操控更灵活方便，750W功率电机，同步带驱动，扭矩强劲，定位稳定可靠，穿透力更强，自动抬压脚高度20mm、交替压脚送料行程9mm、线迹长度9mm，适合缝制高品质缝线和组合缝纫，广泛用于缝制各种汽车地毯、沙发面套箱包的包边工艺。



POWERLine 2545-G-17/01

32MM 超大旋梭 -G	缝制配件 -17/01	自动抬压脚 -910/04	自动倒缝 -911/35	电子夹线 -909/12	HP -918/29	空气过滤网 -925/03	过载安全 离合保护 -M	线迹长度 -N	DAC电控 P40CD
Extra large vertical hook 70%+	Standard part set	Auto-presser foot lift	Auto- backtacking device	Thread nipper	Quick change stepping control	Air filter /Lubricator	Safety clutch	Stitch length Max.	Control box w/BDF-S4
★	★	★	★	⊙	⊙	★	★	9mm	★
缝纫照明 LED灯	两个线张力	自动抬 压脚高度	交替压脚 送料行程	最高缝速 针/分	机针型号				
Built-in LED sewing light	2 nd thread tension	Foot lift height Max.	Alternating feet stroke height	Sewing speed Max.	Needle system				
★	★	20mm	9mm	3000	134-35 120#				

标配 ★ 选配 ⊙
Standard Option

型号2546

PFAFF® Industrial



Special twin-needle high-speed sewing machine, sewing area 345*120mm, super-large vertical hook with a bobbin diameter of 32mm, original automatic fast bobbin winder, winding volume increase of more than 70%, more convenient control, built-in LED sewing light, DAC Classic control system, programmable multi-function integrated control button, more flexible and convenient control, 750W power motor, synchronous belt drive, super torque, stable and reliable positioning, stronger penetrating power, automatic foot lifting height 20mm, alternating sewing foot stroke 9mm, stitch length 9mm, suitable for sewing high-quality seam and combination sewing, widely used in double-needle decorative top stitching for various high-end automotive interior, leather sofa cover and other sewing process.

特殊双针高速缝纫机，缝制范围345*120mm,采用梭心直径32mm的超大垂直旋梭，绕线量提高70%以上，独创的快速自动绕线器，操控更加便捷，内置LED缝纫工作照明灯，控制系统采用DAC Classic，可编程多功能集成控制按钮，操控更灵活方便，750W功率电机，同步带驱动，扭矩强劲，定位稳定可靠，穿透力更强，自动抬压脚高度20mm、交替压脚送料行程9mm、线迹长度9mm，适合缝制高品质明线和组合缝纫，广泛用于缝制各种高档汽车内饰、真皮沙发面套、箱包等双针装饰明线缝制工艺。



POWERLine 2546-G

32MM 超大旋梭 -G	26MM 大旋梭	气动中分压脚 -63/24	自动剪线 -900/81	自动抬压脚 -910/04	自动倒缝 -911/35	电子夹线 -909/12	HP -918/29	空气过滤阀 -925/03	双针间距
Extra large vertical hook 70%+	Large vertical hook	pneu. centre seam guide presser foot	Auto-thread trimmer	Auto-presser foot lift	Auto-backtacking device	Thread nipper	Quick change stepping control	Air filter /Lubricator	Needle gauge in mm
◎	★	★	★	★	★	◎	◎	★	6.0mm ◎ 8.0mm ★ 10.0mm ◎ 12.0mm ◎
过载安全 离合保护 -M	线迹长度 -N	DAC电控 P40CD	缝纫照明 LED灯	两个线张力	膝碰切换 开关	自动抬 压脚高度	交替压脚 送料行程	最高缝速 针/分	机针型号
Safety clutch	Stitch length Max.	Control box w/BDF-S4	Built-in LED sewing light	2 nd thread tension	Knee switch for Quick change	Foot lift height Max.	Alternating feet stroke height	Sewing speed Max.	Needle system
★	9mm	★	★	★	◎	20mm	9mm	2600	134-35 120#

标配 ★ 选配 ◎
Standard Option

型号2595

PFAFF® Industrial



Special single-needle high-speed post-bed sewing machine, sewing area 235*120mm, post height 170mm, large vertical hook with a bobbin diameter of 26mm, original automatic fast bobbin winder, winding volume increase of more than 70%, more convenient control, built-in LED sewing light, DAC Classic control system, programmable multi-function integrated control button, more flexible and convenient control, 750W power motor, synchronous belt drive, super torque, stable and reliable positioning, stronger penetrating power, automatic foot lifting height 20mm, alternating sewing foot stroke 9mm, stitch length 9mm, suitable for sewing high-quality seam and combination sewing, widely used in single-needle decorative top stitching for various high-end automotive interior, leather sofa cover, bag & cases and other sewing process.

特殊立柱式单针高速缝纫机，缝制范围235*120mm,立柱高170mm,采用梭心直径26mm大垂直旋梭、独创的快速绕线器，操控更加便捷，内置LED缝纫工作照明灯，控制系统采用DAC Classic,可编程多功能集成控制按钮，操控更灵活方便，750W功率电机，同步带驱动，扭矩强劲，定位稳定可靠，穿透力更强，自动抬压脚高度20mm、交替压脚送料行程9mm、线迹长度9mm，适合缝制需要高品质明线的立体三维部件和组合缝纫，广泛用于缝制各种汽车内饰、真皮沙发面套、箱包等单针装饰明线缝制工艺。



POWERLine 2595

26MM 大旋梭	缝制配件 -6/01	自动剪线 -900/81	自动抬压脚 -910/04	自动倒缝 -911/35	电子夹线 -909/12	HP -918/29	空气过滤阀 -925/03	过载安全 离合保护 -M	线迹长度 -N
Large vertical hook	Standard part set	Auto-thread trimmer	Auto-presser foot lift	Auto- backtacking device	Thread nipper	Quick change stepping control	Air filter /Lubricator	Safety clutch	Stitch length Max.
★	★	★	★	★	⊙	★	★	★	9mm
DAC电控 P40CD	缝纫照明 LED灯	两个线张力	膝碰切换 开关	自动抬 压脚高度	交替压脚 送料行程	最高缝速 针/分	机针型号		
Control box w/BDF-S4	Built-in LED sewing light	2 nd thread tension	Knee switch for Quick change	Foot lift height Max.	Alternating feet stroke height	Sewing speed Max.	Needle system		
★	★	★	⊙	20mm	9mm	2600	134-35 120#		

标配 ★ 选配 ⊙
Standard Option

型号2596

PFAFF® Industrial



Special twin-needle high-speed post-bed sewing machine, sewing area 235*120mm, post height 170mm, large vertical hook with a bobbin diameter of 26mm, pneumatic centre seam guide, original automatic fast bobbin winder, winding volume increase of more than 70%, more convenient control, built-in LED sewing light, DAC Classic control system, programmable multi-function integrated control button, more flexible and convenient control, 750W power motor, synchronous belt drive, super torque, stable and reliable positioning, stronger penetrating power, automatic foot lifting height 20mm, alternating sewing foot stroke 9mm, stitch length 9mm, suitable for sewing high-quality seam and combination sewing, widely used in double-needle decorative top stitching for various high-end automotive interior, leather sofa cover, bag & cases and other sewing process.

特殊立柱式双针高速缝纫机，缝制范围235*120mm,立柱高170mm,采用梭心直径26mm大垂直旋梭，气动中分压脚，独创的快速绕线器，操控更加便捷，内置LED缝纫工作照明灯，控制系统采用DAC Classic,可编程多功能集成控制按钮，操控更灵活方便，750W功率电机，同步带驱动，扭矩强劲，定位稳定可靠，穿透力更强，自动抬压脚高度20mm、交替压脚送料行程9mm、线迹长度9mm，适合缝制需要高品质明线的立体三维部件和组合缝纫，广泛用于缝制各种汽车内饰、真皮沙发面套、箱包等双针装饰明线缝制工艺。



POWERLine 2596

26MM 大旋梭	气动中分压脚 -63/24	自动剪线 -900/81	自动抬压脚 -910/04	自动倒缝 -911/35	电子夹线 -909/12	HP -918/29	空气过滤阀 -925/03	双针间距	过载安全 离合保护 -M
Large vertical hook	pneu. centre seam guide presser foot	Auto-thread trimmer	Auto-presser foot lift	Auto- backtacking device	Thread nipper	Quick change stepping control	Air filter /Lubricator	Needle gauge in mm	Safety clutch
★	★	◎	★	★	◎	★	★	6.0mm ◎ 8.0mm ★ 10.0mm ◎ 12.0mm ◎	★
线迹长度 -N	DAC电控 P40CD	缝纫照明 LED灯	两个线张力	膝碰切换 开关	自动抬 压脚高度	交替压脚 送料行程	最高缝速 针/分	机针型号	
Stitch length Max.	Control box w/BDF-S4	Built-in LED sewing light	2 nd thread tension	Knee switch for Quick change	Foot lift height Max.	Alternating feet stroke height	Sewing speed Max.	Needle system	
9mm	★	★	★	★	20mm	7mm	2600	134-35 120#	

标配 ★ 选配 ◎
Standard Option

特点 / Features



绕线器

配备了一个安全快速启动绕线过程的辅助工具，在操作工容易触及的范围内（“绕线助手”）

Bobbin winder

Equipped with an aid for a secure and fast start of the bobbin winding process and within easy reach of the operator („winding assistant“)



交替压脚上送料行程调整

保证快速准确地调整第一和第二道交替压脚上送料行程。

行程调整是以小的增量进行的。

-外表盘：行程高达5毫米

-内表盘：行程高达9毫米

Top feed stroke adjustment


Guarantees quick and accurate adjustment of the first and second top feed stroke. Adjustments are made in small increments.- outer dial: up to 5 mm stroke- inner dial: up to 9 mm stroke

LED 缝纫照明灯

内置于机头

LED light

Integrated in the sewing head



增加了的交替压脚上送料行程

高达：9 mm

Increased top feed stroke



Up to 9 mm

抬压脚后可使用空间

高达：20 mm

Clearance under the sewing foot

Up to 20 mm



旋梭/自动剪线刀

可靠和优秀的切割性能：

可以切割粗达10/3号（公制）的缝线无任何问题

Hook saddle / Thread trimmer -

Reliable and excellent cutting performance:

Threads up to 10/3 (metric) can be cut without any problems



手轮刻度转盘

机修的调机助手：

- 针杆上升
- 机针高度
- 挑线杆

Scale disk

An adjustment aid for the mechanic:

- Needle bar rise
- Needle height
- Take-up lever

PFAFF[®] Industrial



POWERline

2545/46
2595/96

PFAFF Industriesysteme
und Maschinen AG

上工申贝（集团）股份有限公司
Shang Gong Group Co., Ltd.

地址：中国·上海浦东新区新金桥路1566号

Add: No. 1566 Xin Jinqiao Road, Pudong, Shanghai, China

电话 / Tel: 0086-63938822

传真 / Fax: 0086-63078413

邮编: 201206

http://www.dap-china.com

E-mail: info@dap-china.com



关注企业微信公众号
DAPShanghai